(54) Title: DNA ARRAY FOR HIGH THROUGHPUT SOLID-PHASE TRANSFECTION AND METHOD FOR PRODUCING
THE SAME

(57) Abstract: The present invention relates to a DNA array for high throughput and highly efficient solid-based transfection which
comprises a plurality of dried spots on a solid support, said dried spot comprises (1) a plasmid DNA to be introduced into cells, (2)
a transfection reagent and (3) a cell-adhesion protein and to a high throughput and highly efficient solid-based transfection method
to introduce plasmid DNA into cells, using the same.

DNA ARRAY FOR HIGH THROUGHPUT SOLID-PHASE TRANSFECTION AND METHOD FOR PRODUCING THE SAME

Technical field

5   This invention relates to a DNA array for high throughput solid-phase transfection system, a method for producing the DNA array, reagents to be used for producing the DNA array, and a method for carrying out solid-phase high throughput transfection using the DNA array.

10

Background art

Hitherto, liquid-phase based transfection system has been used for introduction of DNA into mammalian cells. The following methods have been used for transfection of mammalian

15   cells so far.

(1) Calcium phosphate coprecipitation method (Chen, C. and Okayama, H.: Biotech., 6, 632-638, 1988),

(2) Lipofection-mediated transfer method (Rabindran S.K. et. al. : Science 259, 230-234, 1993),

20   (3) DEAE dextran-mediated transfer method (Sussman, D.J. and Milman, G.: Mol. Cell. Biol., 4, 1641-1643, 1984),

(4) Electroporation method (Chu, G. et. al.: Nuc. Acid. Res., 15, 1311-1326, 1987), and

(5) Microinjection method (Graessmann, M. and Graessmann A.:

25   Proc. Natl. Acad. Sci. USA, 73, 366-370, 1976).

The above mentioned methods (1) to (4) need 10^4 to 10^6 cells as well as 0.1 to 10 µg DNA, in which the transfection efficiency is the maximal level of about 20%, although it is difficult to maintain the maximal transfection efficiency

30   under various conditions. Especially, transfection efficiencies are variable depending on cell types and these transfection procedures are complicated and time-consuming. Under these circumstances, it is almost impossible to establish a high throughput transfection method by

35   miniaturization and automation of the above mentioned

transfection systems (1) to (4). In the meanwhile, the above
mentioned method (5) requires much lesser amount of cells and
DNA for transfection than the above mentioned methods (1) to
(4), however, the procedure requires a high level of skill and
5   a long-term experience since microinjection of DNA into cells
is directly carried out under an observation with a microscope.
Therefore, a liquid-phase transfection system is not suitable
for high throughput transfection.

At present, a high throughput transfection system is
10   highly required as shown in the following example: When cell
proliferation is initiated by addition of various
stimulations, the successive signal transductions are
controlled by networks of interacting proteins.

Signal transduction and processing generally take place
15   through specific protein-protein interactions mediated by
protein structural transition and/or chemical
transformations. Because of the complexity and our present
incomplete understanding of protein circuitry and network
dynamics and function, correlating a particular phenotype to
20   a set of protein-protein interactions is not only a major
undertaking but often requires methods that are amenable to
genome-wide or targeted network analysis. The technology is
highly required to analyze networks of interacting proteins
encoded by the entire human genome. If high throughput
25   transfection and monitoring systems are established, it is
possible to express a target gene, to monitor the level of a
gene product and to analyze the effect of the gene expression
on cellular function in intact cells in real time.

The solid phase transfection technology is preferable
30   to this purpose. In fact, J. Ziauddin and D. M. Sabatini have
reported the solid phase-transfection method (Junaid Ziauddin
& David M. Sabatini: Microarrays of cells expressing defined
cDNAs, Nature 411, 107-110, 2001). In this paper, geratin
is used to transfect DNA into cells by forming DNA-geratin
35   complex to fuse with cell membrane. However, the method

covers only a few cell lines, and has a problem for reproducibility and transfection efficiency.

Therefore, an object of the present invention is to provide a DNA array for high throughput solid-phase transfection, and a method for carrying out high throughput solid-phase transfection using the DNA array, which solve the above-mentioned problems.

Disclosure of the invention

The present invention is based on the finding that transfection efficiency is remarkably improved and cross-contamination is highly reduced in the presence of a cell-adhesion protein in dried spots printed on a surface of a solid support, which contain plasmid DNAs.

Accordingly, a solid-phase transfection method of the present invention can be carried out by the following procedures:

(a) preparing a DNA-containing mixture comprising a plasmid DNA to be introduced into cells, a transfection reagent, and a cell-adhesion protein,

(b) spotting the DNA-containing mixture on a surface of a solid support in a plurality of defined locations,

(c) allowing the DNA-containing mixture to dry on the surface of the solid support,

(d) plating cells onto the surface of the solid support, and

(e) maintaining the solid support and the cells under appropriate conditions for transfection to proceed efficiently.

or

(a) preparing a DNA-containing mixture comprising a plasmid DNA to be introduced into cells, and a cell-adhesion protein,

(b) spotting the DNA-containing mixture on a surface of
a solid support in a plurality of defined locations,

(c) allowing the DNA-containing mixture to dry on the
surface of the solid support,

5   (d) exposing the printed solid support to the diluted
transfection reagent,

(e) plating cells onto the surface of the solid support,
and

(f) maintaining the solid support and the cells under
10   appropriate conditions for transfection to proceed
efficiently.

Further, the present invention relates to a DNA array
for transfection which comprises a plurality of dried spots
on a solid support, said dried spot comprises (1) a plasmid
15 DNA to be introduced into cells, (2) a transfection reagent
and (3) a cell-adhesion protein.

Still further, the present invention relates to a method
for producing a DNA array, comprising:

(a) preparing a DNA-containing mixture comprising a
20   plasmid DNA to be introduced into cells, a
transfection reagent, and a cell-adhesion
protein,

(b) spotting the DNA-containing mixture on a surface
of a solid support in a plurality of defined
25   locations,

(c) allowing the DNA-containing mixture to dry on the
surface of the solid support.

In addition, the present invention relates to a reagent
kit for manufacturing the above mentioned DNA array, which
30 comprises (1) a plasmid DNA to be introduced into cells, (2)
a transfection reagent, and (3) a cell-adhesion protein.

Finally, the present invention relates to a method for
gene profiling in cells, comprising:

(a) plating cells onto the surface of the above
35   mentioned DNA array,

    (b)   maintaining the adhered cells on plasmid under conditions appropriate for cell proliferation,

    (c)   expressing transfected genes in cells, and

    (d)   monitoring an exogenously produced protein and detecting changes of cellular phenotypes due to the expression of the protein.

According to the present invention, introduction of DNA into cells become highly efficient, cross-contamination detected as a signal from the neighboring places become negligible, and the solid-phase transfection system using DNA array provides high throughput transfection system. Based on the above mentioned findings, profiling a gene product expressed in cells, monitoring a change of cell phenotype, and analyzing a network of protein-protein interaction in mammalian cells become possible for the first time.

In fact, by a high throughput transfection of peptide-expression library in cells using the present invention, the present inventors have successfully identified a peptide that inhibits specific protein-protein interaction, and analysis of the network pathway using the peptide became possible.

Brief description of the drawings

Figure 1 shows the results of solid-phase transfection efficiency under different plasmid DNA (pEGFP-N1)/cationic lipid (Tfx-20) ratios. The horizontal axis shows a ratio (μg/nmol) of plasmid DNA to cationic lipid and the vertical axis shows a transfection efficiency (%), which is detected as fluorescence of Green Fluorescent Protein (GFP) and calculated by the following equation:

counts of transfected cells/counts of whole cells in a defined location x 100.

Figure 2 shows the results of transfection efficiency at different concentrations and ratios of plasmid DNA and dendrimer.

Figure 3 shows the results for the effect of fibronectin on the transfection efficiency of dendrimer-mediated solid-phase transfection.

Figure 4 shows the results of dendrimer-mediated solid-phase transfection on a compact array.

Figure 4 (a) is a scheme of the array pattern. The square of 1.3 mm x 1.3 mm is demarked by 0.4 mm line of hydrophobic ink.

Figure 4 (b) shows HeLa cells adhered on the square.

Figure 4 (c) shows Enhanced Green Fluorescent Protein (EGFP) fluorescence image of the HeLa cells of Figure 4(b).

Figure 5 shows the results of the genetic selection of Red Fluorescent Protein (RFP) expression vector on a compact transfection array system based on the dendrimer-mediated solid-phase transfection.

Figure 5 (a) is the scheme of the array pattern: Green, pEGFP was printed; red, pDsRed1 was printed.

Figure 5 (b) shows HeLa cells adhered on the array.

Figure 5 (c) shows EGFP/RFP image.

Figure 5 (d) shows RFP image of the HeLa cells of Figure 5(b).

Figure 6 shows the results of genetic selection of proliferative inhibitor peptides by using the dendrimer-mediated solid-phase transfectin system. Figure 6 (a) shows the results of micro-colony counts (slashed bar) and single cell counts (closed bar) on the pEGFP-pep library array.

Figure 6 (b) shows the results of frequency of micro-colony in each sample. pEGFP-pep and pEGFP-p21 pep were the negative and the positive controls, respectively.

Best mode for carrying out the invention

The invention is explained in detail hereafter.

The present invention relates to the DNA array occupied by plural dried spots on a solid support, which are consisted of (1) a plasmid DNA to be introduced into cells, (2) a transfection reagent, and (3) a cell-adhesion protein.

As the solid support, there are mentioned a glass plate,

a plastic plate and silicon plate etc., among which a glass plate is preferred. A glass plate may be treated by a poly L-lysine solution.

As the cell adhesion protein (3), fibronectin,
5 pronectin, vitronectin, laminin and collagen etc. are mentioned, in which fibronectin and pronectin are preferred.

As the transfection reagents (2), a cationic lipid, a dendrimer and calcium phosphate etc. are mentioned, in which the cationic lipid and the dendrimer are preferred. The
10 examples of cationic lipids include a polyamine based polymer such as Lipofectamine™ (Invitrogen Co., Carlsbad, CA, USA), Transfectam™ (Promega Co., Madison, WI, USA), Tfx™-20 (Promega Co., Madison, WI, USA) and Effectene™ (QIAGEN Co., Valencia, CA, USA), and a polyimine-based polymer such as Jet
15 PEI™ (PolyPlus-transfection, Cedex, France) and ExGen™ 500 (FERMENTAS Inc., Hanover, MD, USA). They are commercially available.

The dendrimer to be used in the present invention is polyamidoamine which has dendrically ramified from the center
20 of a molecule and has positively charged amino group at the ends to interact with negatively charged phosphate group of DNA. As the results, DNA is condensed compactly and the complex is incorporated into cells through endocytosis. Examples of a commercially available dendrimer include
25 PolyFect™ reagent (QIAGEN) and SuperFect™ reagent (QIAGEN).

The plasmid DNA (1) to be introduced into cells comprises randomly selected cDNA and a genomic DNA harboring a coding region in an expression vector. Preferred examples include a plasmid to overexpress a gene and a plasmid to
30 knockout a gene. In addition, the plasmid DNA (1) may include a reporter gene encoding a marker protein. Examples of the marker proteins are Enhanced Green Fluorescent Protein (EGFP), Red Fluorescent Protein (RFP), Luciferase, Secreated alkaline phosphatase (SEAP) and β-galactosidase, in which EGFP and RFP
35 are desirable. Commercially available plasmid-based vectors,

such as pEGFP (Clontech), pDsRed2 (Clontech), pTimer
(Clontech) etc. can be used.

Dried spots on the solid support can be obtained by
spotting the mixture of (1) a plasmid DNA to be introduced into
5   cells, (2) a tansfection reagent and (3) a cell-adhesion
protein onto a solid support and by allowing the spotted
mixture to dry in air or _in vacuo_ on the surface of the solid
support.

Size and shape of the spots are not specifically limited.
10   For example, a diameter of the spots may be from about 0.01
to about 5 mm and a shape of the spot viewed from the above
is possibly a circle. Thickness of the dried spots is not
specifically limited, and a range of the thickness may be from
about 1 to about 100 μm.

15   Number of the spots is not specifically limited, and it
may be from about 1 to about 10,000 pieces. It is preferable
that each spot contains a different kind of genes in an
expression vectors. Each spot is preferably isolated from
neighbored spots, for example, by dividing each spot by
20   hydrophobic lines such as Teflon. Each dried spot preferably
contains (1) a plasmid DNA to be introduced into cells from
about 100 pg/mm^2 to about 1 μg/mm^2, preferably from about $\underline{2}$
to about 200 ng/mm^2, (2) a transfection reagent from about 0.01
to about 10 μg/mm^2, preferably from 0.1 to 1 μg/mm^2, (3) a
25   cell-adhesion protein from about 0.01 to about 10 μg/mm^2,
preferably from 0.1 to about 1 μg/mm^2.

The DNA array of the present invention is obtained by
preparing a DNA-containing mixture comprising plasmid DNA to
be introduced into cells, a transfection reagent, and a
30   cell-adhesion protein, spotting the DNA-containing mixture on
a surface of a solid support in a plurality of defined
locations, allowing the DNA-containing mixture to dry on the
surface of the solid support, whereby the plasmid DNA
containing mixture affixed to the surface in plural defined
35   discrete locations.

9

The plasmid DNA to be introduced into cells is prepared, for example, from recombinant Escherichia coli cells. The cell-adhesion protein is, for example, prepared by extraction and purification of recombinant E. coli cells or human/porcine

5   tissues. As the transfection reagent, the above mentioned commercially available products can be used.

A concentration of the plasmid DNA in the DNA-containing mixture is from about 0.01 to about 5 µg/µl, preferably from about 0.05 to about 0.5 µg/µl. A concentration of the

10   transfection reagent in the DNA-containing mixture is from about 0.01 to about 20 µg/µl preferably from 0.1 to 1 µg/µl. Further, a concentration of the cell-adhesion protein in the DNA-containing mixture is from about 0.01 to about 5 µg/µl, preferably from 0.1 to 1 µg/µl.

15   The preparation of dried spots from the above mentioned DNA-mixture is carried out by spotting on the surface of a solid support using ink-jet type spotter or pin-array type spotter followed by drying in air or in vacuo.

In the solid-phase transfection method of the present

20   invention, after preparing the DNA array as in the above, supply of cells on the surface of the DNA array is carried out by plating cells thereon. The number of cells supplied onto one dried spot is dependent on cell type, preferably about 1 to 10,000, more preferably about 50 to 1,000.

25   Cells supplied onto the dried spots of the DNA array are adhered on the surface of each spot with the aid of adhesion protein, and then, plasmid DNAs affixed to the surface of the solid support enter cells under the conditions appropriate for transfection to occur.

30   The solid-phase transfection method of the present invention is characterized in that it can minimize cross-contamination among the spots, because the cell-adhesion proteins in the spots help cells to be anchored onto the spot.

35   Furthermore, the present invention relates to the

10

method for gene profiling, which comprises plating cells on
the surface of the printed solid support, introducing plasmid
DNA into cells maintaining the solid support in the
appropriate conditions for transfection to occur, expressing
5   the gene inserted to the expression vector in cells, and
detecting the protein in transfected cells, or monitoring a
cell phenotype derived from transfected cells.

In the gene profiling of the present invention, the
level of proteins expressed in cells are monitored by a desired
10   wavelength using fluorescent microscope. For example,
enhanced green fluorescent protein and red fluorescence
protein are maximally excited at 488 and 558nm followed by
detecting at 509 and 583 nm of maximal fluorescent wavelength,
respectively. In the meanwhile, to monitor the cell phenotype
15   derived from transfected cells, for example, cell death is
detected under the observation using phase contrast
microscope and nuclear staining with propiodium iodide.

In the gene profiling of the present invention, for
example, screening of peptide is carried out by monitoring
20   cell death during expression of a gene to suppress the gene
products essential for cell proliferation. For example,
expression of a peptide library encoding a part of the target
gene is applicable for suppressing a specific function of a
gene product.

25

Examples

In the following, the present invention is explained in
more detail by referring to Examples, but the scope of the
present invention is not limited to them.
30   Example 1

The representative example of the transfection reagent
is cationic lipids, which include Tfx™-20 (Promega, Madison,
WI, USA), and Effectene™ (QIAGEN, Valencia, CA, USA). Both
transfection reagents condense and wrap plasmid DNAs in
35   cationic lipids. The complex of plasmid DNA and transfection

11

reagent is fused with cell membrane and then plasmid DNA is entered inside cells.

The glass plate was prepared as follows: The glass slides (7 cm x 2.5 cm) were marked with 80 squares (2 mm x 2
5   mm) distincted by 1-mm Teflon line. The glass slides were treated by incubation for 1 hr in ammonium hydroxide solution (Aldrich, Milwaukee, WI, USA) and washed with distilled water. Then, the glass plates were incubated in poly-L-Lysine solution (10% (v/v) poly-L-lysine solution (Sigma, St. Louis,
10 MO, USA) and 10%(v/v) phosphate buffered saline buffer) for 1 hr and washed with distilled water.   The glass plates were air dried and stored in a desiccator until use.

Plasmid samples (pEGFP-N1; Clontech, U.S. Palo Alto, CA) of 1 µl (0.5 µg/µl in distilled water) were spotted on the
15 glass plates. Plasmids were printed by drying at room temperature. For DNA/cationic lipid complex formation, the printed DNA samples were exposed to the diluted solution of Tfx^{TM}-20 transfection reagent for 5 min at room temperature just before transfection. The diluted solution of Tfx^{TM}-20
20 transfection reagent contained 100 µM of N,N,N',N'-tetramethyl-N,N'-bis(2-hydroxyethyl)-2,3-di(oleo yloxy)-1,4-butanediammonium iodide.

Cells of 7 x 10^5 were suspended into 25 ml DMEM preheated at 37℃. The cell suspension was poured into each 100-mm tissue
25 culture dish in which the DNA-printed glass plate was placed. The cells were incubated for 72 hr at 37℃ in humidified 5% CO_2 atmosphere.   Fluorescent microscopic images of EGFP-expressed cells on the glass plates were taken by an optical camera system (Zeiss).   Transfection efficiency was
30 calculated by the equation: transfection efficiency=counts of transfected cells/counts of whole cells x 100 (%).
Transfected and whole cells in the photographic images were counted manually and used in the calculation.
Cross-contamination frequency on each glass plate was
35 calculated according to the equation: Cross-contamination

12

frequency (%)=(Counts of transfected cells on the square without printed DNA/counts of transfected cells on the adjacent square containing printed DNA) x 100 (%). The frequency was evaluated by using average value in 8
5   measurements.

The solid-phase transfection efficiency was found to be sensitive to DNA/cationic lipid ratio (Fig. 1). The transfection efficiency was improved by increasing the DNA to cationic lipid ratio up to 5 µg DNA/nmol cationic lipid.
10   Addition of excess amounts of cationic lipid inhibited adherence and growth of HeLa cells, resulting in a decreased level of transfection efficiency. Absolute concentration of DNA/cationic lipid per given surface area also affected the transfection efficiency of HeLa cells. The maximal
15   transfection efficiency was obtained at DNA concentration of 0.13 $\mu g/mm^2$. The lower concentration of DNA reduced the transfection efficiency. DNA concentrations of more than 0.13 $\mu g/mm^2$ inhibited cell adherence and growth due to the presence of excess amount of cationic lipid on the grid. The
20   highest transfection efficiency by using the optimized protocol described above was 5% (Table 1). However, the average cross-contamination frequency was 44% (Table 1).

Table 1

25

Mediators	Maximal efficiency (%)	Average cross-contamination (%)
Tfx-20 (liposome)	5	44
Effectene (liposome)	2	33
Effectene+Fibronectin	32	5
PolyFect (dendrimer)	3	28
PolyFect+Fibronectin	36	1

Next, pEGFP-N1 (60 ng/µl) was printed on the poly-L-lysine coated glass slide. At the same time, the glass

slide printed with both pEGFP-N1 (60 ng/µl) and human
fibronectin (0.8 µg/µl, Nakarai, Tokyo, Japan) were prepared
for comparison.   The printed DNA samples were exposed to the
mixture containing 300 µl of EC buffer, 16 µl of Enhancer and
5   60 µl of Effectene transfection reagent (QIAGEN Co). HeLa cell
suspension was plated onto the slide glass, and then, the
fluorescence of EGFP in transfected cells was monitored after
incubation for 72 hr.   Although the transfection efficiency
is 2% and the cross-contamination was 40% in the spot
10   containing pEGFP-N1 alone, the former increased to 32% and the
latter was decreased to 5% in the spot containing both pEGFP-N1
and fibronectin (Table 1 shows the comparison of solid-phase
transfection systems using Tfx-20 cathionic lipid (liposome),
Tfx-20 + Fibronectin, Polyfect (dendrimer), and
15   Polyfect+Fibronectin as mediators.).   The addition of
fibronectin to the DNA was highly efficient to increase
transfection efficiency and to minimize cross-contamination.

Example 2

20   PolyFect[TM] transfection reagent (QIAGEN Co.) is
consisted of an active dendrimer molecules which is diverged
from a center of the molecule and have positively charged amino
groups at the branched termini to interact with phosphate
groups of DNA. PolyFect[TM] reagent makes DNA to condense in
25   compact form which is easily incorporated into cells by
endocytosis.

      DNA/PolyFect ratio in the DNA printing mixture (minus
fibronectin) was investigated to obtain the highest
transfection efficiency (Fig. 2).   Inhibition of adherence
30   and growth of HeLa cells was observed at concentrations of
PolyFect in excess of 1.0 µg/mm^2. At 0.5 µg/mm^2 of PolyFect,
relatively high transfection efficiency was observed using
0.1 to 0.4 µg /mm^2 DNA.   Larger or lower concentrations of
PolyFect resulted in relatively low transfection efficiency
35   probably due to the presence of excess charge on the surface

14

and/or the non-optimal particle size of DNA/dendrimer complex
for of HeLa cell transfection. The maximal transfection
efficiency was 3% in the range of the optimal DNA/PolyFect
ratio (Table 1). However, the average cross-contamination
5   frequency was at an unacceptable level of 28% (Table 1).
         The efficiency of dendrimer-mediated solid-phase
transfection was dramatically increased by the addition of
fibronectin (Fig. 3). The addition of fibronectin also
virtually eliminated the cross-contamination frequency. The
10   average frequency of cross-contamination at 0.25 $\mu g/mm^2$ of
fibronectin was 1% (Table 1). The effect of fibronectin on
the transfection efficiency and cross-contamination
frequency most likely results from acceleration of adherence
of HeLa cells, since fibronectin is an epithelial cell
15   attachment factor.

Example 3
         The DNA printing and complex formation procedures for
cationic lipid and dendrimer-mediated solid-phase
20   transfection systems are different. In the cationic
lipid-mediated solid-phase transfection procedure, DNA was
printed first, then, the DNA/cationic lipid complex was formed
on the solid glass support. The physical process of exposing
DNA to cationic lipids most likely increased the chance of
25   cross-contamination of DNA between adjacent grid locations.
         On the contrary, in the case of the dendrimer-mediated
solid-phase transfection, DNA/dendrimer complex is directly
printed on the glass plates. This is a simpler process than
the cationic lipid-mediated system and reduced the chance of
30   cross-contamination. In fact, the average frequency of
cross-contamination in the dendrimer-mediated system was
lower than the cationic lipid-mediated system (Table 1).
The results suggest that the dendrimer-mediated system is
well-suited for high-throughput transfection system.   The
35   use of fibronectin for dendrimer-mediated system allows the

design of a high density DNA array for use in high-throughput
solid-phase transfections.

Example 4

5   A compact DNA array was developed based on the
dendrimer/fibronectin-mediated solid-phase transfection
system (Fig. 4). The density of the pattern allows to print
800 plasmid samples on a slide glass (7 cm x 2.5 cm). It should
be noted that two fold higher density will not afford
10   statistically significant number of adhered and/or
transformed cells per grid to be useful in genetic selection
studies. 0.5μl of the DNA printing mixture, which contained
40 ng pEGFP-pep (details are described in Example 5), 0.2 μg
fibronectin, was spotted in each square. After plating HeLa
15   cells onto the slide glass, 25 μl of gene expression inducer
(2mg/ml doxycycline) was added into the cell suspension. The
cells adhered on the glass plate very well (Fig. 4. (b)).
Transfected cells expressed EGFP were observed in the area
that DNA was printed (Fig. 4. (c)). The transfection
20   efficiency was 10.5%.

        Cross-contamination of the compact array system was
examined by using EGFP expression vector (pEGFP-N1) and a red
fluorescent protein (RFP) expression vector (pDsRed1 vector,
25   Clontech, Palo Alto CA) (Fig. 5). The DNA printing mixtures
of pEGFP and pDsRed1 optimized for the compact array were
spotted as shown in Fig. 5 (a). As shown in Fig. 5 (b), HeLa
cells adhered on the glass surface and the hydrophobic lines
demarking the grids. EGFP expressed cells were frequently
30   observed in the squares on which the pEGFP was printed (Fig.
5 (c)). RFP expressed cells were observed only in the squares
on which the pDsRed1 was printed (Fig. 5. (d)). In the sets
of experiment, there were no cross-contamination between EGFP
expressed cells and RFP expressed cells. The demonstration
35   indicates that the dendrimer-mediated solid-phase

16

transfection developed for the compact array system can be applied for accurate genetic selection.

Example 5

5   The pTRE2 vector (Clontech Col.) contains the CMV promoter together with TRE (tetracycline response element) in which the addition of either doxycyclin or tetracycline is required for a gene expression under the control of the CMV promoter. Peptide-EGFP fused protein expression vector,

10   pEGFP-pep was constructed by ligation of the 3.8 kb fragment of pTRE2 digested with XbaI with 0.8 kb fragment encoding EGFP prepared by digestion with XbaI. Plasmids coding randomized peptide EGFP fusion proteins were prepared based on primer extension methods: template DNAs

15   (5'-AAACCGCGGATGTGTAAACGGCGGCAGACCAGCGCTACAGATTTCTACCACTCC ARRARRARRDTADTATWTTCCTGCGGATCGATAAA-3') were denatured at 94°C for 10min and annealed with primer DNA (5'-TTTATCGATCCGCA-3') in TE buffer at 4°C overnight. Primer extension reaction of the annealed DNA samples was carried out

20   at 37°C for 30 min in the presence of 10 μg/ml DNAs, 100 units/ml Klenow fragment (New England Biolabs, Beverly, MA, USA), 10 mM Tris-HCl (pH 7.5), 5 mM MgCl$_2$, 7.5 mM dithiothreitol. The reaction products were digested by SacII and ClaI, then purified by QIAquick PCR purification kit (QIAGEn, Valencia,

25   CA, USA). The SacII-ClaI fragments were cloned into the SacII-ClaI site in pEGFP-pep. The plasmids cloned in Escherichia coli XL1-blue were purified by QIAprep kit (QIAGEN, Valencia, CA, USA) and eluted by distilled water from the QIAprep columns. Concentration of each plasmid solution was

30   adjusted to 0.5 μg/μl for cationic lipid-mediated transfection and 0.2 μg/μl for dendrimer-mediated transfection by dilution with distilled water and was used for solid-phase transfection experiments. The biased plasmid library constructed here encodes CDK-cycline binding peptide

35   derivatives designed from p21waf1/cip1 G1 cell cycle

17

checkpoint protein (Toyashima, H. and Hunter T.: Cell, 78, 67-74, 1994). The plasmid library was printed on a glass plate (80 squares, 2 mm x 2 mm). Fig. 6 shows the example results of the genetic selection of proliferative inhibitor peptides

5   from 14 plasmids. After the solid-phase transfection as shown in Example 4, the cells were fixed by exposing to paraformadlehyde solution (4% in PBS buffer) for 15 min at room temperature. Then the cells were exposed to 0.5% Triton X-100 for 30 sec and were washed twice with PBS buffer. For

10   image-based selection, the cells were stained with propidium iodide (PI) by exposing to PI solution (20 µg/ml PI, 200 µg ribonuclease A per 1 ml of PBS buffer) for 30 min at room temperature. In the EGFP expressed cells, microcolony, which is defined as duplicating cell (including S, M and G2 phase),

15   and G1 cells were counted manually. The number of transfected cells was variable in each square (Fig. 6a) probably due to small differences in the DNA printing conditions, However, the frequency of micro-colony on the pEGFP-pep printed area was 15% and the frequencies of micro-colony on the areas printed

20   with negative peptide coding vecgtors were within the range of 10-20% (Fig.6b). However, the frequency on the positive peptide-coding vector (#11) was 5% and was similar to the observed 6% frequency of the positive control grid (pEGFP-p21 pep). These examples indicate that the transfected cells on

25   the array changed their phenotypes by the effect of expressed peptides. The above proof of principle study suggests that the transfection array system is a novel and powerful tool for high-throughput genetic selection with mammalian cells.

30   Industrial Applicability

The present invention is applicable for a gene network analysis which is the most important subject in post-genome sequencing period. If the data base of the gene network is constructed once, the value is extremely high based on the

35   application to drug discovery, medicare, diagnostics and food

18

industry. In addition, the contracted service based on gene
network data base is highly possible.

The present invention can be used to identify aptamers
or peptides which inhibit protein-protein interaction
5   specifically.   They may be possible candidates for medicine,
diagnostic reagent or reagent for research tool.   Especially,
either peptide-mimetics or low molecular weight compounds may
be synthesized based on the sequence of the peptide, which will
be a candidate for a drug to cure or prevent disease.
10   In addition, the present invention provides a novel tool
to find a new target for drug discovery.

19

Claims

1.   A DNA array for transfection which comprises a plurality
of dried spots on a solid support, said dried spot comprises
(1) a plasmid DNA to be introduced into cells, (2) a
transfection reagent and (3) a cell-adhesion protein.

2.   The DNA array of claim 1, wherein (3) the cell-adhesion
protein is fibronectin.

3.   The DNA array of claim 1, wherein (2) the transfection
reagent is selected from the group consisting of a cationic
lipid and a dendrimer.

4   The DNA array of claim 1, wherein (1) the plasmid DNA to
be introduced into cells further comprises a reporter gene.

5.   A method for producing the DNA array of claim 1 comprising:
    (d)   preparing a DNA-containing mixture comprising a
        plasmid DNA to be introduced into cells, a
        transfection reagent, and a cell-adhesion
        protein,
    (e)   spotting the DNA-containing mixture on a surface
        of a solid support in a plurality of defined
        locations,
    (f)   allowing the DNA-containing mixture to dry on the
        surface of the solid support.

6.   A reagent kit for manufacturing the DNA array of claim 1,
which comprises (1) a plasmid DNA to be introduced into cells,
(2) a transfection reagent, and (3) a cell-adhesion protein.

7.   A solid-phase transfection method comprising:
    (a)   plating cells onto the surface of the DNA array of
        claim 1, and

20

(b) maintaining the DNA array and the cells under
     appropriate conditions for transfection to
     proceed efficiently.

5   8.   A solid-phase transfection method comprising:
         (a) preparing a DNA-containing mixture comprising a
              plasmid DNA to be introduced into cells, a
              transfection reagent, and a cell-adhesion
              protein,
10   (b) spotting the DNA-containing mixture on a surface
              of a solid support in a plurality of defined
              locations,
         (c) allowing the DNA-containing mixture to dry on the
              surface of the solid support,
15   (d) plating cells onto the surface of the solid support,
              and
         (e) maintaining the solid support and the cells under
              appropriate conditions for transfection to
              proceed efficiently.

20
    9.   The solid-phase transfection method of claim 8, wherein
         the cell-adhesion protein is fibronectin.
    10. The solid-phase transfection method of claim 9, wherein
         the transfection reagent is a dendrimer.
25 11. A solid-phase transfection method comprising:
         (a) preparing a DNA-containing mixture comprising a
              plasmid DNA to be introduced into cells and
              cell-adhesion protein,
         (b) spotting the DNA-containing mixture on a surface
30   of a solid support in a plurality of defined
              locations,
         (c) allowing the DNA-containing mixture to dry on the
              surface of the solid support,
         (d) exposing the dried DNA-containing mixture of step
35   (c) to a solution containing a transfection

reagent,

(e)   plating cells onto the surface of the solid support, and

(f)   maintaining the solid support and the cells under appropriate conditions for transfection to proceed efficiently.

12.   The solid-phase transfectin method of claim 11, wherein the cell-adhesion protein is fibronectin.

13.   The solid-phase transfection method of claim 12, wherein the transfection reagent is a cationic lipid.

14.   A method for gene profiling in cells, comprising:

(a)   plating cells onto the surface of the DNA array of claim 1,

(b)   maintaining the adhered cells on plasmid under conditions appropriate for cell proliferation,

(c)   expressing transfected genes in cells, and

(d)   monitoring an exogenously produced protein and detecting changes of cellular phenotypes due to the expression of the protein.

15.   A method of claim 8 to be used for a network analysis, screening of seed compounds for drug discovery, and discovery of a novel diagnostic marker.

Figure 1

FIG. 2

FIG. 3

4 / 6

FIG. 4B

FIG. 4C

FIG. 4A

1.3 mm

0.4 mm

SUBSTITUTE SHEET (RULE 26)

FIG. 5B

FIG. 5D

FIG. 5A

(1.3 m m x 1.3 m m)

FIG. 5C

FIG. 6

INTERNATIONAL SEARCH REPORT

A.   CLASSIFICATION OF SUBJECT MATTER
IPC(7)   :   C12N 15/64, C12Q 1/68
US CL   :   435/458, 6

According to International Patent Classification (IPC) or to both national classificatic˜ and IPC

B.   FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
    U.S. : 435/458, 6

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
BRS, MEDLINE

C.   DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ZIAUDDIN, J. et al. Microarrays of cells expressing defined cDNAs. Nature. 03 May 2001, Vol. 411, pages 107-110. See entire document.	1-15

☐ Further documents are listed in the continuation of Box C.   ☐   See patent family annex.

*	Special categories of cited documents:	
"A"	document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E"	earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O"	document referring to an oral disclosure, use, exhibition or other means	
"P"	document published prior to the international filing date but later than the priority date claimed	"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
04 March 2004 (04.03.2004)	2 7 MAY 2004
Name and mailing address of the ISA/US	Authorized officer
Mail Stop PCT, Attn: ISA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450	James S. Ketter
Facsimile No. (703)305-3230	Telephone No. (703) 308-0196

Form PCT/ISA/210 (second sheet) (July 1998)